
Scanner type	Sheetfed Scanner
Optical Resolution (ADF)	600 DPI x 600 DPI (Horizontal x Vertical)
Scanning Resolution	50 DPI x 1,200 DPI (Horizontal x Vertical)
Optical Resolution	Main 600 DPI x Sub 600 DPI
ADF Minimum Document Size	50.8 mm x 69 mm (Horizontal x Vertical)
ADF Maximum Document Size	304.8 mm x 5,588 mm (Horizontal x Vertical)
Paper Formats	A3, A4, A5, A8, A7, A6, Business cards, Postcard, Legal, B5, B6, B4, Tabloid, Plastic cards
Colour Depth	Input: 10 Bits Colour / 30 Bits Monochrome , Output: 8 Bits Colour / 24 Bits Monochrome
Ultrasonic Sensor	Yes
Application	High Capacity, General Office

Scanner

Optical Sensor	CIS (Contact Image Sensor)
Light Source	ReadyScan LED technology
Output Resolution	600 DPI

Scan speed

Scanning Speed	Monochrome: 70 pages/min - Color: 70 pages/min measured with size: A4 , resolution: 300 dpi, Monochrome: 140 image/min - Color: 140 image/min measured with size: A4 , resolution: 300 dpi
-----------------------	--

Paper / Media Handling

ADF Paper Setting Capacity	120 Sheets
ADF Paper weight	Auto loading: 27 - 413 g/m ² , Manual loading:27 - 413 g/m ²
Automatic Document Feeder Type	Single pass dual scanning
Reliability Daily Duty Cycle	30,000 pages
multifunction	120 Sheets Standard
Automatic Document Feeder	120 pages
Duplex Scan	Yes

Scanning Features

Features	Advanced Colour Dropout / Enhance, Skip blank page, Punch holes removal, Automatic de-skew, RGB colour enhance, Auto-rotation, Text enhancement, Descreening, Barcode Recognition
Output formats	BMP, JPEG, TIFF, multi-TIFF, PDF, searchable PDF, secure PDF, PDF/A, JPEG(Colour/Greyscale), PNG, docx, xlsx, pptx
File compression features	TIFF Compression (JPEG(7) , CCITT G4, LZW), PDF Compression, JPEG compression
Advanced document integration	Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web folders, Scan to Network folders, Scan to USB, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro
Image Improvement	Dust removal, Colour correction, Unsharp Mask with Noise Reduction
Scanning Volume	40,000 pages per day

Connectivity

Interfaces USB, USB 3.0

General

Supply Voltage AC 100 V - 240 V

Energy Use 17 Watt (Operation), 9 Watt (ready), 1.4 Watt (sleep mode), 0.1 Watt (Power off)

Product dimensions 371 x 208 x 219 mm (Width x Depth x Height)

Product weight 5.8 kg

Drivers TWAIN, WIA, ISIS (Web download), Epson Scan2 (TWAIN), ICA (Mac)

Included Software Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2

Compatible Operating Systems Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3

Sound Power Operation: 6.4 B (A)

Sound Pressure Operation: 51 dB (A)

Noise Level Operation: 64 dB (A)

Humidity Operation 15% - 80%, Storage 15% - 85%

Temperature Operation 5° C - 35° C, Storage 60° C - 25° C

What's in the box AC Adaptor, Main unit, USB 3.0 cable, User guide, User manual (CD)

Options Roller Assembly Kit

LCD and Memory Cards

LCD screen Type: Colour, Touchscreen, Diagonal: 6.8 cm

Scan

Optical Resolution 600 DPI x 600 DPI (Horizontal x Vertical)

Accessories

Choose from a wide range of options and accessories.