

# Behringer PPA500BT Specs

Inputs	2x XLR 2x 1/4" TRS, balanced 1x 1/8" TRS, stereo 6x 1/4" TS, unbalanced 2x RCA, stereo, unbalanced 1x 2-channel Behringer ULM digital wireless
--------	---

---

## Portable PA System

---

Speaker Configuration	<b>2 x 2-Way Loudspeakers</b>
Outputs	1/4", left and right
Speakers	8" woofer and 1.35" tweeter
Number of Input Channels	6 (2 x Mono, 4 x Stereo)
Amplifier Power Rating	<b>2 x 250 W (at 4 Ohms)</b>
EQ Type	2-band on mono channels 5-band graphic on output
Effects	Type: Klark Teknik Presets: 100
Power Supply	Switching power supply (100-240 V)
Dimensions	<i>Not specified by manufacturer</i>

---

## Speakers

---

Enclosure Type	Bass-Reflex
Weight	<i>Not specified by manufacturer</i>
HF Driver	<b>1 x</b> 1.35" / 34.2 mm Tweeter (per Speaker)
LF Driver	<b>1 x</b> 8" / 20.3 cm Woofer (per Speaker)

---

## Signal Processing

---

EQ	<b>1 x HF Shelf:</b> ±15 dB at 12 kHz (per Channel) <b>1 x LF Shelf:</b> ±15 dB at 80 Hz (per Channel) <b>1 x</b> 5-Band Graphic (on Master)
Effects	<b>100 x</b> Preset (Factory)

---

## Performance

---

Frequency Response	50 Hz to 22 kHz
SNR	85 dBA

---

## Connectivity

---

Audio I/O	<b>2 x</b> XLR 3-Pin Balanced Mic/Line Input <b>6 x</b> 1/4" TRS Balanced/Unbalanced Line Input <b>1 x</b> 1/8" / 3.5 mm TRS Aux Input <b>1 x</b> Stereo RCA TS Unbalanced Input <b>2 x</b> 1/4" TS Unbalanced Speaker Output
-----------	---

---

Phantom Power	Yes
---------------	-----

---

USB	1 x USB Type-A (Wireless Audio)
-----	---------------------------------

---

## Bluetooth

---

Bluetooth	Yes
-----------	-----

---

Bluetooth Profiles	A2DP 1.2
--------------------	----------

---

Pairing	Manual
---------	--------

---

Bluetooth Channel	79
-------------------	----

---

Frequency	2.4 GHz (2402 to 2480 MHz)
-----------	----------------------------

---

Bluetooth Power Class	2
-----------------------	---

---

## Power

---

AC Input Power	<b>Universal:</b> 100 to 240 VAC, 50 / 60 Hz
----------------	---

---

Power Consumption	90 W
-------------------	------

---

AC Power Connector	IEC
--------------------	-----

---

## Physical

---

Mounting	1 x Pole Socket (Bottom)
----------	--------------------------

---

Dimensions

26.46 x 20.47 x 11.97" / 672 x 520 x 304 mm

---

Weight

44.7 lb / 20.28 kg

---